

Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013 Filing Confirmation Number: 0006099258

Filing Deadline: January 15, 2014 FRN: 0005061437

Filing Date: 01/14/2014 12:58 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Hayneville Fiber Transport, Inc.

Brand Names: Motorola

Kyocera Palm LG HTC

PO Box: 129

Street Address: 180 Greenville Bypass

City: Greenville

State: AL Zip Code: 36037

Contact Name: Tammy Williams
Contact Phone: (334) 371-3000
Contact Fax: (334) 371-3001

Contact Email: cctammyw@camelliacom.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.camelliacom.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Signage is posted in lobby area that states that we have HAC handsets. Signage also posted that describes the rating system for each phone. Each phone is labeled with the rating.

Methodology for Functionality Levels

The functionality of the phones are determined by the manufacturer.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 15

Air Interface	Fully Hea Comp Number	atible	Compatible Only	Non-Con Hand Number	-	Excluded Handsets Number	Total by Air Interface
GSM	2	100%					2

You have reported the following handset model summary information.

Total number of handsets offered: 15

Air Interface	Fully Hea Comp Number		Acoustic Compati Number	ble Only	Non-Con Hand Number	-	Excluded Handsets Number	Total by Air Interface
CDMA	12	80%	2	13%	1	7%		15
WCDMA	2	100%						2

Handset 1: Apple 4s

Handset Maker

Apple

Handset Model Name FCC ID

4s BCG-E2430A iPhone 4 (A1349) BCG-E2422A

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 2: Casio Hitachi Commando

Handset Maker

Casio Hitachi

Handset Model Name FCC ID

Commando TYKNX9320

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 3: HTC Droid Incredible 2

Handset Maker

HTC

Handset Model Name FCC ID

Droid Incredible 2 NM8PG32100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

900 MHz GSM

900 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz CDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 03/13 to 12/13

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

N/A

Remarks

Handset 4: Kyocera E3100 Rio

Handset Maker

Kyocera

Handset Model Name	FCC ID
E3100 Rio	OVF-K5402
G2GO M2000	OVF-K4801, OVF-K4802
Luno	OVF-K5501, OVF-K5502
S2300	OVF-K5302

Air Interfaces/Frequency Bands

800 MHz CDMA 1700 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 5: LG ENLIGHTEN

Handset Maker

LG

Handset Model Name FCC ID

ENLIGHTEN BEJVS700, BEJLS700, ZNFL55C

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 6: LG VS750

Handset Maker

LG

Handset Model Name FCC ID

VS750 BEJVS750

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 7: LG Vortex

Handset Maker

LG

Handset Model Name FCC ID

Vortex BEJVS660 VX9200 EnV3 BEJVX9200

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 8: Motorola DROID 3

Handset Maker

Motorola

Handset Model Name FCC ID

DROID 3 IHDT56MF1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

N/A

Remarks

Handset 9: Motorola Droid X2

Handset Maker

Motorola

Handset Model Name FCC ID

Droid X2 IHDT56LB1

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 10: Motorola W385

Handset Maker

Motorola

Handset Model Name FCC ID

W385 IHDT56HC1 WX445 CITRUS IHDP56LF1

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 11: Palm Palm Pixi

Handset Maker

Palm

Handset Model Name FCC ID

Palm Pixi O8F-PIXE

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 12: Samsung Freeform 4

Handset Maker

Samsung

Handset Model Name FCC ID

Freeform 4 A3LSCHR390, A3LSCHR390A

Air Interfaces/Frequency Bands

850 MHz CDMA 1700 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 13: Samsung ILLUSION

Handset Maker

Samsung

Handset Model Name FCC ID

ILLUSION A3LSCHI110

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 14: Samsung U660 Convoy 2

Handset Maker

Samsung

Handset Model Name FCC ID

U660 Convoy 2 A3LSCHU660

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 15: UT Starcom CDM-7076

Handset Maker

UT Starcom

Handset Model Name FCC ID

CDM-7076 PP4EZ2

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Certification

This Report has been certified by:

Tammy Williams Business Office Manager 01/14/2014 12:58 PM